

Atal Bihari Vajpayee –
Indian Institute of Information Technology and Management,
Morena Link Road, Gwalior
(An Institute of National Importance under the Ministry of Education, Government of India)

No.ABV-IIITMG/REG/2026-27/111

Dated:24/04/2026

**TENDER DOCUMENT FOR CLEANING OF SEWER LINES/ MANHOLES AND LAYING OF
NEW SEWER LINE IN GIRLS HOSTEL, POCKET 'A' OF ABV-IIITM, GWALIOR**

Uploading of tender document commences from	24-04-2026
Date of publication of tender notification on official website of the Institute	24-04-2026
Last date for receipt of duly filled in tenders	05-05-2026 - up to 4.:00 PM
Date and Time of opening of Technical Bids	05-05-2026- At 4:30 PM
Date and Time of the opening of Financial Bids	Will be notified to the technically qualified tenderers

Note: This tender document contains 22 pages (total no. of pages including Annexure) and tenderers are requested to sign on all the pages.

NOTICE INVITING TENDER

Sealed tenders for “ **Cleaning Of Sewer Lines/ Manholes And Laying of New Sewer Line In Girls Hostel In Pocket 'A' Of ABV-IIITM, Gwalior,**” are invited from the eligible experienced contractors/firms having valid registration with MPPWD/CPWD/ Railways/ MES and the Government Under takings.

1. Introduction:

The Atal Bihari Vajpayee – Indian Institute of Information Technology and Management, Gwalior, invites sealed tenders from experienced contractors for ‘Cleaning of Sewer Lines/ Manholes and Laying of New Sewer Line ’ in pocket A of the Institute. “The tender documents can be downloaded from the website of the Institute, i.e. ‘www.iiitm.ac.in’.

2. Submission of tender form cost and Earnest Money Deposit (EMD):

The Bidder shall furnish the EMD of Rs. 20,000.00(Rupees Twenty thousand only) along with the tender Online payment in favour of ‘Director, ABV-IIITM, Gwalior’ payable at Gwalior. EMD shall be returned to the unsuccessful bidders after the award of work.

The successful bidder will be required to deposit a performance guarantee in the form of a cash deposit/demand draft/fixed deposit receipt, pledge in the Name of the Director, ABV-IIITM Gwalior, valid for 120 days. EMD of the successful bidder shall be adjusted in the performance guarantee deposit. The performance security will be equal to 5% of the tendered amount. The performance security deposit will be refunded after the completion of the defect liability period and the removal of defects brought to the contractor's notice. The tender not accompanied by the required EMD shall be rejected. No interest will be paid on EMD amount/ performance security deposit.

MSME unit, are exempted for submitting EMD if they produce copy of Registration with MSME, Core MSME Certification must contain the relevant trade, shall be considered for EMD exemption. Selected MSME bidder will have to submit performance security deposit .

If the selected bidder fails to start & execute the work, his EMD will be forfeited as per Government rules.

- a) The offline bids will be received by ABV-IIITM, Gwalior up to /before 05-05-2026 4.00 PM . Any bid received after the prescribed deadline shall not be considered, irrespective of rates. The Technical bids will be opened on the same date at 4.30 pm in the presence of the representatives of the bidders present. The opening date for financial bids of such firms that meet the prescribed technical criteria will be notified separately

The online payment of EMD may be deposited as under:

Name of Beneficiary : Director, ABV-IIITM, Gwalior
Bank : Bank of India, IIITM Campus, Gwalior – 474 015
IFSC/RTGS Code : BKID0009462
Savings Bank A/c No. : 945210110000969

- b) The EMD Shall be forfeited if:

- i) The bidder withdraws his bid during the period of bid validity.
- ii) In the case of a successful bidder, if he fails to furnish the required performance guarantee within the specified time limit.
- iii) The EMD of the successful bidder shall be retained adjusted for performance guarantee for the performance of the contract and shall be refundable after expiry of defect liability period.
- iv) The bid shall remain valid for a period of 4 months from the date of receipt of the bid.
- v) No art work charges will be paid in any case.

3. Site Visit:

The bidder are advised to acquaint himself with the job work, visit the Site & examine site conditions, climatic conditions, labour, power, material availability, transport and communication facilities, environmental regulations, laws and bye- laws of statutory, local bodies and the Govt. of India and collect all information that shall be necessary for preparing the bid and entering into a contract.

The cost of visiting the site and collecting information for the purpose of submission of the bid shall be incurred by the bidder only.

The bidder and any of his personnel or agents will be granted permission by the Institute to enter upon the site for the purpose of such inspection.

4. Defect Liability Period:

The work/ materials of the contractor shall be under 3 months Defect Liability Period (DLP). Any defect(s) noticed during the defect liability period shall be rectified by the contractor without any cost to ABV-IIITM, Gwalior, failing which the Security /Performance guarantee Deposit of the Contractor shall be forfeited. If the contractor backs out from the work tender, the EMD deposited of the contractor shall be forfeited. The contractor may also be debarred from any future tendering process in the institute for reasons assigned hereinabove.

5. Detail of required Experience Certificates /Work orders:

5.1 The Applicant to meet the following minimum experience:

- A. Experience of having successfully competed similar works ie. laying of sewer lines during last 5 (five) years ending December 2025, should be either of the following.
 - A (1) One similar / civil completed work costing not less than 80% of total tender cost.
 - A(2) Two similar /civil completed works costing not less than 60% of total tender cost for each work.
 - A(3) Three similar / civil competed works costing not less than 40% of tender cost for each work.
- B Definition of “Similar Work” Experience in carrying out similar work / civil work/ civil maintenance works in private sector or Govt. organizations/ PSU’s.

6. Submission of Bids:

- (a) The sealed hard copy of the tender shall be submitted in one big envelope, super scribing ‘Cleaning of Sewer Lines/ Manholes and Laying of New Sewer Line In Girls Hostel in pocket A of ABV-IIITM Gwalior’. Two separate sealed envelopes: Envelope ‘A’ containing documents related to the technical bid, EMD and eligibility and Envelope 'B containing. The financial bid should be kept in a big envelope. This envelope and another for "Financial Bid" superscripted as such, addressed to the Registrar, ABV-Indian Institute of Information Technology & Management, Morena Link Road,

- Gwalior – 474015. The sealed tender must be dropped in the tender box placed at Administrative Block, ABV-IIITM Campus Office only, **on or before 05/05/2026 upto ...4.00..... P.M.**
- (b) The technical bid envelope “A” must contain the technical bid in prescribed Performa as per Annexure - I along with online Payment proof of Earnest Money Deposit (refundable but non-interest bearing) of Rs. 20,000/- (Rupees Twenty thousand only) favouring ‘Director, ABV-IIITM, Gwalior’, payable at Gwalior, with all relevant documents in support of eligibility and experience criteria. The financial bid envelope must contain only the financial bid. The financial bid shall include all the charges, including all taxes, etc., to complete the work in all respects. ABV-IIITMG will not accept any claim other than those mentioned in the financial bid. The online payment is in favour of as per the details above, but the receipt slips should be enclosed.
 - (c) The technical bid will be opened at the Administrative Block, ABV-IIITM Campus, Gwalior on 05-05-2026. At 4.30 P.M. in the presence of the bidders/ their authorised representatives, and committee members who wish to be present. The Financial bid will be opened on the date that will be communicated to only those bidders who are found to be technically qualified after evaluation of technical bids.
 - (d) The interested firms are advised to read the entire tender document carefully before submitting their tender, and the tender documents not received online in the prescribed form, at and/or are found incomplete in any respect, shall be summarily rejected.
 - (e) Any further clarifications can be sought from the office of the Registrar /Engineering Section, Atal Bihari Vajpayee, Indian Institute of Information Technology and Management, Morena Link Road, Char Shahar Ka Naka, Gwalior – 474015. The official website of the Institute is www.iiitm.ac.in.

TERMS & CONDITIONS:

- a. No paper shall be detached from the tender.
- b. If any date mentioned above happens to be a holiday, then the next working day will be the relevant date.
- c. The name and address of the tenderer shall be clearly written in the space provided, and no overwriting, correction, or insertion shall be permitted in any part of the tender unless duly countersigned by the tenderer. The tender shall be filled in and submitted in strict accordance with the instructions laid down herein; otherwise, the tender shall be liable to be rejected by the ABV-IIITMG unilaterally without assigning any reason or giving any explanation to this effect.
- d. The tender shall be liable to be ignored/rejected if complete information is not given therein, or if the particulars and data (if any) asked for in the Schedule to the tender are not filled in or any wrong/false or incorrect information is given, or any material thing is concealed or manipulated therein.
- e. The Earnest Money of the successful tenderer shall be returned after the security deposit as required in terms of the tender is furnished by the L-1. The Earnest Money to other than the lowest bidders will be returned after finalisation of the L-1.
- f. The Earnest Money deposited shall be liable to be forfeited if the tenderer withdraws or amends, impairs or derogates from the tender in any respect within the period of validity of his tender. If the successful tenderer fails to furnish the security deposit as required in the contract within the stipulated period, the EMD shall also be liable to forfeit it and ABV-IIITMG shall be entitled to initiate appropriate legal proceedings against the tenderer for the losses suffered by it because of the same.
- g. All rates/total amount shall include GST (as applicable), cost of labour & material for the works completed in all respects, and no extra amount shall be payable on this account.
- h. Water and Electricity shall be provided free of cost at one point for bona fide use only.

- i. The agency must enclose a copy of the PAN Card of the company/Proprietor / Partner and work experience certificate / work order for having executed similar works. Tenders of any agency without the above shall be rejected outright.
- j. The EMD deposited by the contractor shall be released with the running / final bill duly submitted by the contractor.
- k. The payment shall be made on the submission of a bill, as per actual measurements of works and after successful completion of work by the contractor.
- l. 1. Tender of any agency not adhering to the above-mentioned terms of the tender shall be rejected outright.
- m. A technically qualified bidder will be informed to be present at the time of opening of the financial bid.

7. Selection Criteria:

The work will be awarded to the L1 vendor on an overall basis for the work “ABV-IIITM, GWALIOR”. The determination of the lowest bidder will NOT be based on individual bid rates. Rather, it will be on an overall basis.

The following documents/information shall be attached along with the Technical Bid as follows: -

- a. Copy of Pan Card.
- b. Copy of GST Registration Number.
- c. Last three financial years (up to 31.03.2025), turnover certificate issued by CA, and a copy of three years ITR (AY- 2023-24, 2024-25 & 2025-26)
- d. EMD – Earnest Money Deposit Proof of payment
- e. Experience Certificates/ Works Orders as mentioned in Clause no.5.
- f. Valid registration with MPPWD/ CPWD/ Govt. Undertaking.
- g. All NIT documents shall be signed by the contractor, partner, or proprietor with a rubber stamp of contractor/ agency and mobile no.
- h. The technical bid page no.09 to11 with Online payment of EMD , keep them in envelope no. 1 and seal the envelope properly.
- i. The financial bid should be kept in envelope no.2, and the envelope should be closed properly.
- j. Envelope no.1 & 2 should be kept in envelope no. 3 and closed the envelope properly.
- k. Please write the name of the work, such as “Cleaning of Sewer Lines/ Manholes and Laying of New Sewer Line in **Girls Hostel in ' Pocket 'A' of ABV-IIITM, Gwalior** on each envelope.
- l. The other terms and conditions shall be applicable as mentioned in NIT.
- m. The tender of any agency without the above shall be rejected outright.

8. Time of Completion

The work must be started within 3 days of receipt of the WO. The work shall also be duly completed within 25 Days from the date of receipt of the work order by the agency.

9. Liquidated Damages/ Penalty for Delay:

If the contractor fails to complete the work within the stipulated time or time extended by the Institute (if any), liquidated damages at the rate of 1% per week (07 days) of delay, subject to a maximum 10% of the total contract value, shall be deducted and recovered from the contractor.

10. Specifications:

The materials supplied and proposed to be used in the work shall be of the requisite specifications as specified in NIT, as per specification given in BOQ and as per the approved list of make (placed at page-08).

The contractor/vendor should have the supplied items/materials certified/verified by a representative authorised by the competent authority of the Institute. In the absence of the same, the material cannot be used on the maintenance site. The vendor should submit the approved sample in the office; substandard items will not be accepted.

11. Payment:

Payment will be made after satisfactory completion & handing over of the entire work and bill submitted by the Contractor. Applicable GST/TDS, etc., shall be deducted from the amount payable to the contractor.

12. Bill of Quantity:

The quantities of work given in the Bill of Quantities (BOQ) are approximate to give an idea of the work. Work shall be carried out as per the given design/specifications, and the quantities may vary on either side. The contractor shall execute the varied quantity of work on the quoted rates. The payment shall be made as per the actual measurement of work.

13. Tools & Tackles:

All tools, tackles, and other equipment required for the work will be provided by the contractor, and their charges will be deemed included in the quoted rates; no extra payment shall be made for the same to the Contractor.

14. Risks:

Contractor shall be solely responsible for the safety of his workers, working at the site by following all safety norms in the trade. All risks of loss or damage to physical property and of injury and death which arise during and in consequence of the performance of the Contract, other than the excepted risks, are the responsibility of the Contractor.

15. Failure:

Failure of the contractor to comply with the requirements of the contract shall constitute sufficient grounds for cancellation of the award and forfeiture of the EMD, in which event ABV-IIIMG may get the work done at the risk & cost of the Contractor.

16. Work Order/Contract Agreement:

ABV-IIITM, Gwalior, will notify the successful bidder that his tender has been accepted, and it will send a work order to the bidder describing the works to be carried out and the same shall be returned duly acknowledged affirmatively by the bidder as a token of acceptance.

17. CONCILIATION/ARBITRATION:

- a. If any dispute (s) or difference (s) of any kind whatsoever arise between the parties, the parties hereto shall negotiate with a view to its amicable resolution and settlement through a committee appointed by the Director, ABV-IIITM, Gwalior.
- b. In the event no amicable resolution or settlement is reached between the parties within 30 days after receipt of notice by one party, then the disputes or differences detailed above shall be referred to and settled by the sole Arbitrator to be appointed by the Director, ABV-IIITM, Gwalior.
- c. The arbitration proceeding shall be in accordance with the prevailing Arbitration and Conciliation Act, 1996 and Laws of India as amended or enacted from time to time.

- d. The venue of the arbitration shall be Gwalior, India & the language of the arbitration shall be English. The fee & other charges of the arbitrator shall be determined by the arbitrator in terms of the Act and shall be shared equally between the parties.
- e. The arbitrator shall have powers to award only such remedy as is contemplated by this Agreement, including as appropriate, injunctive relief.
- f. The arbitrator will give the speaking and the reasoned Award. The parties will not be entitled to any pendent-lite interest during arbitration proceedings.

18. Tender shall be accompanied by all the relevant documents covered in the tender.

19. The full & final payment shall be made by the Institute only after the successful completion of work/items for which the bid is made.

20. The contractor/supplier shall ensure that he himself or his authorised representative is available for proper handing over of the supplies/consignments at ABV-IIITM Campus, Gwalior.

21. All statutory duties and taxes / GST and any other taxes or duties may be clearly specified. Price quoted shall be firm and any variation in rates, prices or terms during the validity of the offer shall attract the forfeiture of the EMD and shall entitle ABV-IIITM to take appropriate legal action against the Tenderer.

22. The contractor shall be liable with regard to compliance of all laws, regulations, rules & directions given by any statutory or constitutional authority for the time being in force in the Gwalior City.

23. Right to accept or reject the Tender:

Director, ABV-IIITM, Gwalior reserves the right to accept or reject any or all the tenders without assigning any reason thereof.

Signature of contractor with rubber stamp and mobile no.

Special conditions for the work of Cleaning of Sewer Lines/ Manholes And Laying of New Sewer Line In Girls Hostel In Pocket 'A' Of ABV-IITM, Gwalior.'

- 1- The contractor will have to provide all safety tools and tackles to workers engaged by him on the site.
- 2- The Contractor firm /individual will be fully responsible for any sort of mishappening/accident at the site, and the Institute will be fully relieved of any liability.
- 3- The Contractor will keep the labour disciplined at the site.
- 4- Mechanical means will be used to the maximum extent for cleaning operations, such as a jetting machine.
- 5- RCC pipes shall be ISI approved.
- 6- All the drainage pipes and fittings shall be of one of the brands like Finolex / Supreme/ Vecctus/ Kasta/ Kisan/Astral.
- 7- Chambal sand/ stone dust will not be allowed in masonry/plaster work.
- 8.- Quantity may reduce or increase during execution as per the site.
- 9- Electricity will be provided free for running any machine or pump.
- 10- The first and final bill is to be paid only after completion of the work to the satisfaction.

TECHNICAL BID

(To be kept in envelopno-1 super scribed as "Technical bid for 'Cleaning of sewer lines/ Manholes and laying of new sewer line in Girls Hostel and in Pocket 'A' of ABV-IIITM, GWALIOR)

Cleaning Of Sewer Lines/ Manholes And Laying Of New Sewer Line In Girls Hostel In Pocket 'A' Of ABV-IIITM, Gwalior,?

Name of the Vendor:

Name of the authorized person: (Who signs on the tender document?).....

Address of the Vendor:

Mobile No./Phone No:

E-mail ID: (E- Mail ID is compulsory to be filled by the bidders).....

Documents to be submitted

SL. NO.	DESCRIPTION	WHETHER DOCUMENT IS SUBMITTED OR NOT	FURNISH INFORMATION HERE	COPY ENCLOSED AT PAGE NO.
1	Full Name of Bidder	Yes/No		
2	Online payment Proof of EMD of Rs. 20,000 Name of Beneficiary: Director, ABV-IIITM, Gwalior Bank: Bank of India, IIITM Campus, Gwalior – 474 015 IFSC/RTGS Code: BKID0009462 Savings Bank A/c No.: 945210110000969	Yes/No		
3	Full Address, Phone Number, email, and website of Bidder.	Yes/No		
4	Status of the Bidder, .i.e. Public, Private (Ltd.) / Partnership Firm(s) or Proprietor firm (Certificate of Incorporation to be enclosed)	Yes/No		
5	CGST/SGST Act Registration issued by the competent authority (Registration along with the GST returns for last one quarter to be enclosed)	Yes/No		
6	Permanent Account Number (PAN) issued by the Income Tax Department (Copies of PAN card to be enclosed)	Yes/No		
7	The average financial turnover for the last three consecutive financial years, ending on March 31, 2025, should not be less than ₹10,00,000 (Rupees ten lakh) on an annual basis. Additionally, the organisation should have a positive net worth over the last three years. Relevant supporting documents (1) Turnover certificate and a positive net worth certificate issued by a registered Chartered Accountant (CA) with a valid UDIN, must be	Yes/No		

	submitted. (2) Acknowledgment copies of the Income Tax returns for these three years			
8	<p>Experience of having successfully completed civil works related to heavy repair (up to November 2024) in Government department(s)/PSU(s)/Organisation (s)/reputed Educational Institute(s) by either of the following: -</p> <p>(i) Successfully completed three similar projects, each with a value of not less than Rs. 6.50 lakhs.</p> <p>(ii) Successfully completed two similar projects, each with a value of not less than Rs. 8.25 lakhs.</p> <p>(iii) Successfully completed one similar project with a value of not less than Rs. 13.50 lakhs.</p> <p>[Enclose copies of only 3/2/1 work order(s) along with respective completion certificate(s)]</p>	Yes/No		
9	<p>A declaration to the following effect is required to be submitted on the affidavit of Non-Judicial Stamp of Rs.100/-that</p> <p>(a)There is no pending criminal case before any Court of Law against the Proprietor/Firm/Partner on the bidder company.</p> <p>(b)The bidder has not defaulted from the payment of statutory dues like EPF, ESIC, GST, Income Tax etc. during the last three financial years.</p> <p>(c)The bidder is not blacklisted by any of the following: Government department(s),PSU(s),Organization(s), private Institute(s),Educational Institute(s),Autonomous institute(s)during the last three financial years.</p> <p>(d) No contract of the Bidder has been terminated before expiry of term during the last three financial years.</p>	Yes/No		
10	Any other Information that bidder desires to submit, relevant to the contract and Present bidding.	Yes/No		

Signature of bidder with seal

Bill of quantities**Cleaning of Sewer Lines/ Manholes And Laying of New Sewer Line in Girls Hostel In Pocket 'A' of ABV-IITM, Gwalior,'**

S.NO	Particulars of items	Unit	Quantity
1	Cleaning of choked sewer line by diesel running vehicle mounting hydraulic operated high pressure suction cum jetting sewer cleaning machine fitted with pump having 4000 litres suction capacity and 6000 litres water jetting tank capacity including skilled operator, supervising engineer etc. for cleaning and partial desilting of manholes and dechocking of sewer lines. Dechocking and flushing of sewer line from one manhole to another by high pressure jetting system of 2200 PSI for sewer line from 150mm dia upto 300mm - Pipes, cables etc. exceeding 80 mm dia. But not exceeding 300 mm	Running Meter	345.00
2	Transporting solid debries recovered from sewer lines to out side of the Institute campus in covered vehicle. Incl. loading unloading complete.	trolleys	8
3.	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m –all kind of soils:	Running Meter	134.20
4.	Extra rate depth beyond 1.5 3mtr 1.5 to 3.0 meter	Running meter	94.20
5	Constructing brick masonry circular type manhole 0.91 m internal dia at bottom and 0.56m dia at top in cement mortar 1:4 (1 cement : 4 coarse sand), inside cement plaster 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement, foundation concrete 1:3:6 mix (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size), and making necessary channel in cement concrete 1:2:4 (1 cement : 2 coarse necessary channel in cement concrete 1:2:4 (1 cement : 2 coarsesand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement -	each	5
	0.91 m deep with S.F.R.C. cover and frame (heavy duty, HD-20 grade designation) 560 mm internal diameter conforming to I.S. 12592, total weight of cover and frame to be not less than 182 kg., fixed in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm		

	nominal size) including centering, shuttering all complete. (Excavation, foot rests and 12mm thick cement plaster at the external surface shall be paid for separately) :		
	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5		
6	Extra depth for circular type manhole 0.91m internal dia (at bottom) beyond 0.91 m to 1.67 m	Running meter	3.5
7	Constructing brick masonry manhole in cement mortar 1:4 (1 cement 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg)	each	4
	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5		
8	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete :		
a	200 mm dia RCC pipe	Running meter	40.00
b	250 mm dia. R.C.C. pipe	Running meter	75.20
c	300 mm dia. R.C.C. pipe	Running meter	16.50
9	Providing laying Cement concrete prop. 1:2:4 with 20 mm graded nominal aggregate with smooth finish .- Sunken portion	cum	13.20
10	15 mm thick cement plaster prop 1:4 with water proofing compound .	sqm	170.40
11	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.		
	Electric resistance or induction butt welded tubes	Kg	693.48
12	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge)0.50 mm (+	sqm	178.20

	0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer- in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required		
13	Providing fixing of Red stone one side polished machine cut on wall cladding on cement mortar 1:3 upto plinth level.25 to 30 mm thick	sqm	4.48
14	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (iSingle socketed pipes		
A	75 mm diameter	Running Meter	42.0
B	110 mm diameter	Running Meter	137.0
15	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS 13592 Type A, including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion.		
	coupler		
A	75 mm each	each	3
B	110 mm each	each	3
16	Single tee with door		
A	75x75x75 mm each	Each	24
B	110x110x110 mm each	each	36
17	Single tee without door		
A	75x75x75 mm each	each	8
B	110x110x110 mm each	each	16
18	Bend 87.5°		
A	75 mm bend each 105.90	each	36
B	110 mm bend each 150.35	each	36
19	Brick work for the platform in CM 1:6	CUM	0.74
20	Providing fixing Local white stone all sides machine cut and smooth finish on one side 25 to30 mm stone	SQM	6.0
21	Providing fixing granite stone all sides machine cut and smooth finish on one side 25 to30 mm stone	SQM	6.0

Signature with the seal of the bidder

Financial Bid

**Cleaning of Sewer Lines/ Manholes And Laying of New Sewer Line in Girls Hostel In Pocket 'A' of
ABV-IITM, Gwalior.'**

S.NO	Particulars of items	Unit	Quantity	Rate in figures	Rate in words	Amount
1	Cleaning of chocked sewer line by diesel running vehicle mounting hydraulic operated high pressure suction cum jetting sewer cleaning machine fitted with pump having 4000 litres suction capacity and 6000 litres water jetting tank capacity including skilled operator, supervising engineer etc. for cleaning and partial desilting of manholes and dechocking of sewer lines. Dechocking and flushing of sewer line from one manhole to another by high pressure jetting system of 2200 PSI for sewer line from 150mm dia upto 300mm - Pipes, cables etc. exceeding 80 mm dia. But not exceeding 300 mm	Running Meter	345.00			
2	Transporting solid debries recovered from sewer lines to out side of the Institute campus in covered vehicle. Incl. loading unloading complete.	trolleys	8			
3.	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m, including getting out the excavated soil, and then returning the soil as required,	Running Meter	134.20			

	in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m –all kind of soils:					
4.	Extra rate depth beyond 1.5 3mtr 1.5 to 3.0 meter	Running Neter	94.20			
5	Constructing brick masonry circular type manhole 0.91 m internal dia at bottom and 0.56m dia at top in cement mortar 1:4 (1 cement : 4 coarse sand), inside cement plaster 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement, foundation concrete 1:3:6 mix (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size), and making necessary channel in cement concrete 1:2:4 (1 cement : 2 coarse necessary channel in cement concrete 1:2:4 (1 cement : 2 coarsesand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement -	each	5			
	0.91 m deep with S.F.R.C. cover and frame (heavy duty, HD-20 grade designation) 560 mm internal diameter conforming to I.S. 12592, total weight of cover and frame to be not less than 182 kg., fixed in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) including centering, shuttering all complete. (Excavation, foot rests and 12mm thick cement					

	plaster at the external surface shall be paid for separately) :					
	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5					
6	Extra depth for circular type manhole 0.91m internal dia (at bottom) beyond 0.91 m to 1.67 m	Running meter	3.5			
7	Constructing brick masonry manhole in cement mortar 1:4 (1 cement 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg)	each	4			
	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5					

8	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete :					
a	200 mm dia RCC pipe	Running meter	40.00			
b	250 mm dia. R.C.C. pipe	Running meter	75.20			
c	300 mm dia. R.C.C. pipe	Running meter	16.50			
9	Providing laying Cement concrete prop. 1:2:4 with 20 mm graded nominal aggregate with smooth finish .- Sunken portion	cum	13.20			
10	15 mm thick cement plaster prop 1:4 with water proofing compound .	sqm	170.40			
11	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.					
	Electric resistance or induction butt welded tubes	Kg	693.48			
12	Providing and fixing pre-coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid	sqm	178.20			

	scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer- in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required					
13	Providing fixing of Red stone one side polished machine cut on wall cladding on cement mortar 1:3 upto plinth level.25 to 30 mm thick	sqm	4.48			
14	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (iSingle socketed pipes					
A	75 mm diameter	Running Meter	42.0			
B	110 mm diameter	Running Meter	137.0			
15	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS 13592 Type A, including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion.					
	coupler					
A	75 mm each	each	3			
B	110 mm each	each	3			
16	Single tee with door					
A	75x75x75 mm each	Each	24			
B	110x110x110 mm each	each	36			
17	Single tee without door					

A	75x75x75 mm each	each	8			
B	110x110x110 mm each	each	16			
18	Bend 87.5°					
A	75 mm bend each 105.90	each	36			
B	110 mm bend each 150.35	each	36			
19	Brick work for the platform in CM 1:6	CUM	0.74			
20	Providing fixing Local white stone all sides machine cut and smooth finish on one side 25 to30 mm stone	SQM	6.0			
21	Providing fixing granite stone all sides machine cut and smooth finish on one side 25 to30 mm stone	SQM	6.0			
Total						
Add: GST						
Total with GST						

Signature with the seal of the bidder

(Undertaking to be given on the Firm/Company’s letterhead)

To,

ABV-Indian Institute of Information Technology and Management,
Morena Link Road, Gwalior (MP)

Subject: Tender for work of “Cleaning of Sewer Lines/ Manholes And Laying of New Sewer Line in
Girls Hostel In Pocket 'A' of ABV-IIITM, Gwalior,”

Sir,

I/We on behalf of(Name of firm/company) are ready to execute the work mentioned under subject at the rates quoted , in the ‘Bill of Quantities’, annexed herewith, and will abide by all the terms and conditions, given in the document. We further declare that none of our near relative is working as employee in ABV-IIITM Gwalior, in any capacity

(Signature of the authorized Person)

Place:-
Date:-
address.....

Full name and

.....

Mobile No.....

CERTIFICATE

(To be submitted on letter head of the company/firm)

I hereby certify that the above firm has not been ever blacklisted by any Central/State Government/Public Undertaking/Institute on any account.

I also certify that the above information is true and correct in any every respect and in any case at a later date it is found that any details provided above are incorrect, any contract givento the above firm may be summarily terminated and the firm blacklisted.

I also certify that firm will supply the items as per the specifications given by the Institution and also abide all the terms & conditions stipulated in tender.

Date:

Name :

Place:

Business Address :

Signature of Bidder :

Seal of the Bidder :

CERTIFICATE

(To be submitted on the affidavit of Non-Judicial Stamp of Rs.100/-)

- I certify that M/s has never been blacklisted by any Government department(s), PSU(s), Organization(s), Educational Institute(s), Autonomous Institute(s) during the last three financial years.
- I also certify that there is no criminal case pending against M/s in any court of law.
- I also certify that M/s..... has not defaulted in payment of statutory dues like EPF, ESIC, GST, Income Tax etc. during the last three financial years.
- I also certify that no contracts with the M/s..... were terminated before expiry of term during the last three financial years.
- No near relative of the proprietor/ partners/ directors of the firm is working as employee in ABV- IITM Gwalior
- Duly filled in Annexure are required to be submitted by the bidder in the prescribed format.

Date:
Place: